



Docket No.: 071971-0203

**PATENT**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of : Customer Number: 20277  
Akira KAWABE, et al. : Confirmation Number: 9488  
Application No.: 10/533,434 : Group Art Unit: 2627  
Filed: May 02, 2005 : Examiner: Christopher Ray Lamb  
For: PHASE ERROR DETECTING CIRCUIT AND SYNCHRONIZATION CLOCK  
EXTRACTION CIRCUIT

**PETITION FOR EXTENSION OF TIME**

Mail Stop AF  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450


Sir:

It is respectfully requested that the time for response to the Office Action dated May 1, 2007, now due to expire August 1, 2007, be extended for one month(s) and set to expire on September 1, 2007.

Please charge the extension fee of \$120.00 to Deposit Account No. 500417. Please charge any additional fees or credit any overpayment to Deposit Account No. 500417.

Respectfully submitted,

McDERMOTT WILL & EMERY LLP

  
Michael E. Fogarty  
Registration No. 36,139

**Please recognize our Customer No. 20277  
as our correspondence address.**

600 13<sup>th</sup> Street, N.W.  
Washington, DC 20005-3096  
Phone: 202.756.8000 MEF:lnm  
Facsimile: 202.756.8087  
**Date: September 4, 2007**  
WDC99 1446497-1.071971.0203

09/05/2007 DENMANU1 03000050 500417 10533434  
F1 FD:1251 120.00 DA